



**GENERAL NOTES** 

- 1. FOR RATED AND SMOKE PARTITIONS, REFER TO FLOOR PLANS. 2. ALL PENETRATIONS (JOISTS, PIPING, ETC.) AT FIRE RATED PARTITIONS SHALL BE SEALED WITH THROUGH PENETRATION FIRE STOPPING SYSTEM TO MATCH WALL RATING. SEE FLOOR PLANS.
- 3. PROVIDE FIRE RESISTIVE PRESSURE WOOD BLOCKING AS REQUIRED FOR WALL MOUNTED ACCESSORIES AT RATED PARTITIONS.
- 4. STENCIL ON FIRE-RATED PARTITIONS ABOVE THE CEILING BOTH SIDES WITH 2" HIGH LETTERS "FIRE-RATED PARTITION" AT 5'-0" O.C.
- STENCIL ON SMOKE PARTITIONS ABOVE THE CEILING BOTH SIDES WITH 2" HIGH LETTERS "SMOKE PARTITIONS" AT 5'-0" O.C.
- ALL PENETRATIONS (JOISTS, PIPING, ETC.) AT NON-FIRE RATED WALLS HALL BE SEALED WITH ACOUSTICAL SEALANT. SEE FLOOR PLANS.
- 7. PROVIDE WATER RESISTANT GYPSUM BACKING BOARD AS SUBSTRATE
- FOR WALL TILE IN NON-SHOWER AREAS.
- PROVIDE GLASS-MAT WATER RESISTANT BACKING BOARD AS SUBSTRATE FOR WALL TILE IN LIEU OF GYP. BD. AT SHOWER
- PROVIDE FIRE RATED WOOD BLOCKING AS REQUIRED FOR WALL MOUNTED ACCESSORIES, UNLESS OTHERWISE NOTED ON PLAN
- 10. SEE ROOM FINISH SCHEDULE AND REFLECTED CEILING PLANS FOR HEIGHTS, MATERIALS, AND LOCATIONS OF CEILINGS.
- 11. REFER TO STRUCTURAL DWGS FOR DECK ORIENTATION AND SYSTEM.

12. PROVIDE 2X WOOD BLOCKING AT BASE OF WALLS THAT ARE TO

- RECEIVE WOOD BASE.
- 13. REFER TO INTERIOR ELEVATIONS AND ROOM FINISH SCHEDULE FOR LOCATION OF WALL TILE.
- 14. REFER TO INTERIOR ROOM FINISH SCHEDULE FOR BASE.





• • • •

• • • • . . . .

• • • •

. . . .

• • • •

• • • •

STRUCTURAL ENGINEER

JDH ENGINEERING

MILLIS & ASSOCIATES

. . . . . . . . . . . . .

. . . . . . . . . . . . .

FOOD SERVICE CONSULTANT

Kalamazoo, MI 49007-3907 **PHONE:** 269.388.7313 **FAX:** 269.388.7330

© 2012 Eckert Wordell, LLC

WEB: www.eckert-wordell.com

ORN