



1 ROOF PLAN  
SCALE: 1/8"=1'-0"

### GENERAL NOTES

- 6" ALUMINUM BOX GUTTER CONTINUOUS ALONG PERIMETER OF BUILDING WHERE NOTED SLOPE 1/16" PER FOOT MIN. TO 4" x 4" DOWNSPOUTS (DS)
- ASPHALT SHINGLES OVER 15 LB. BUILDING PAPER ON 5/8" ROOF SHEATHING
- ALL VALLEYS TO RECEIVE ICE & WATERSHIELD
- COORDINATE ALL ROOF PENETRATIONS WITH MECHANICAL DWGS.

### SYMBOL LEGEND

- |  |                                                                            |
|--|----------------------------------------------------------------------------|
|  | INDICATES ROOF SLOPE DIRECTION                                             |
|  | INDICATES ROOF SLOPE 6:12 PITCH                                            |
|  | UNDERLAYMENT                                                               |
|  | INDICATED LOCATION OF VENT THRU ROOF - COORDINATE WITH MECHANICAL DWGS.    |
|  | INDICATED LOCATION OF ROOF EXHAUST VENT - COORDINATE WITH MECHANICAL DWGS. |
|  | INDICATED LOCATION OF EXHAUST FAN - COORDINATE WITH MECHANICAL DWGS.       |

## THE COTTAGE at THORNAPPLE

Hastings, MI

PROJ. NO.: 2011-11-021

02/21/12 ISSUED FOR BIDS

CONSTRUCTION MANAGER  
**CM CONTRACTING**  
CIVIL ENGINEER  
**HURLEY & STEWART**  
STRUCTURAL ENGINEER  
**JDH ENGINEERING**  
MEEP ENGINEER  
**E2W ENGINEERING**  
FOOD SERVICE CONSULTANT  
**MILLIS & ASSOCIATES**

**ECKERT WORDELL**  
ARCHITECTURE • ENGINEERING • INTERIOR DESIGN  
181 East Michigan Ave., Suite 200  
Kalamazoo, MI 49007-3907  
PHONE: 269.388.7313  
FAX: 269.388.7330  
WEB: www.eckert-wordell.com  
© 2012 Eckert Wordell, LLC

ROOF PLAN

A130